

# Device Log Service Supported Models

## Colour MFD

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
Apeos C2060 Apeos C2560 Apeos C3060	■	■	■	■	■	■	■	■
Apeos C5240	■	■	■	■	■	■	■	■
Apeos C3070 Apeos C3570 Apeos C4570 Apeos C5570 Apeos C6570 Apeos C7070	■	■	■	■	■	■	■	■
Apeos C6580 Apeos C7580 Apeos C8180	■	■	■	■	■	■	■	■
ApeosPort C2060 <sup>*15</sup> ApeosPort C2560 <sup>*15</sup> ApeosPort C3060 <sup>*15</sup>	■	■	■	■	■	■	■	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort C3070 <sup>*15</sup> ApeosPort C3570 <sup>*15</sup> ApeosPort C4570 <sup>*15</sup> ApeosPort C5570 <sup>*15</sup> ApeosPort C6570 <sup>*15</sup> ApeosPort C7070 <sup>*15</sup>	■	■	■	■	■	■	■	■
ApeosPort-IV C2270 <sup>*1</sup> ApeosPort-IV C3370 <sup>*1</sup> ApeosPort-IV C3371 <sup>*1</sup> ApeosPort-IV C4470 <sup>*1</sup> ApeosPort-IV C5570 <sup>*1</sup>	■	N/A	N/A	N/A	■ <sup>*5 *6</sup>	N/A	N/A	N/A
ApeosPort-IV C2275 <sup>*2</sup> ApeosPort-IV C3373 <sup>*2</sup> ApeosPort-IV C3375 <sup>*2</sup> ApeosPort-IV C4475 <sup>*2</sup> ApeosPort-IV C5575 <sup>*2</sup>	■	■ <sup>*3</sup>	N/A	■ <sup>*4</sup>	■ <sup>*6</sup>	N/A	N/A	■ <sup>*3</sup>
ApeosPort-V C2275 ApeosPort-V C3373 ApeosPort-V C3375 ApeosPort-V C4475 ApeosPort-V C5575 ApeosPort-V C6675 ApeosPort-V C7775	■	■ <sup>*7</sup>	N/A	■ <sup>*4</sup>	■	■ <sup>*8</sup>	N/A	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort-V C2276 ApeosPort-V C3374 ApeosPort-V C3376 ApeosPort-V C4476 ApeosPort-V C5576 ApeosPort-V C6676 ApeosPort-V C7776	■	■ <sup>*9</sup>	■	■	■	■ <sup>*9</sup>	N/A	■
ApeosPort-V C3320	■	■ <sup>*10</sup>	N/A	■ <sup>*4</sup>	■	■ <sup>*11</sup>	N/A	■
ApeosPort-V C5580 ApeosPort-V C6680 ApeosPort-V C7780	■	■ <sup>*12</sup>	N/A	■ <sup>*4</sup>	■	■ <sup>*13</sup>	N/A	■
ApeosPort-V C5585 ApeosPort-V C6685 ApeosPort-V C7785	■	■ <sup>*14</sup>	■	■	■	■ <sup>*14</sup>	N/A	■
ApeosPort-VI C2271 <sup>*15</sup> ApeosPort-VI C3370 <sup>*15</sup> ApeosPort-VI C3371 <sup>*15</sup> ApeosPort-VI C4471 <sup>*15</sup> ApeosPort-VI C5571 <sup>*15</sup> ApeosPort-VI C6671 <sup>*15</sup> ApeosPort-VI C7771 <sup>*15</sup>	■	■	■	■	■	■	■	■
ApeosPort-VII C3321 <sup>*15</sup> ApeosPort-VII C4421 <sup>*15</sup>	■	■	■	■	■	■	■	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort-VII C2273 <sup>*15</sup> ApeosPort-VII C3372 <sup>*15</sup> ApeosPort-VII C3373 <sup>*15</sup> ApeosPort-VII C4473 <sup>*15</sup> ApeosPort-VII C5573 <sup>*15</sup> ApeosPort-VII C6673 <sup>*15</sup> ApeosPort-VII C7773 <sup>*15</sup>	■	■	■	■	■	■	■	■
ApeosPort-VII C5588 <sup>*16</sup> ApeosPort-VII C6688 <sup>*16</sup> ApeosPort-VII C7788 <sup>*16</sup>	■	■	■	■	■	■	■	■
DocuCentre-IV C2263 <sup>*17</sup> DocuCentre-IV C2265 <sup>*17</sup>	■	■ <sup>*3</sup>	N/A	■ <sup>*4</sup>	■ <sup>*6</sup>	N/A	N/A	■ <sup>*3</sup>
DocuCentre-IV C2263 N	■	N/A	N/A	N/A	■	N/A	N/A	N/A
DocuCentre-IV C2270 <sup>*1</sup> DocuCentre-IV C3370 <sup>*1</sup> DocuCentre-IV C3371 <sup>*1</sup> DocuCentre-IV C4470 <sup>*1</sup> DocuCentre-IV C5570 <sup>*1</sup>	■	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DocuCentre-IV C2275 <sup>*2</sup> DocuCentre-IV C3373 <sup>*2</sup> DocuCentre-IV C3375 <sup>*2</sup> DocuCentre-IV C4475 <sup>*2</sup> DocuCentre-IV C5575 <sup>*2</sup>	■	■ <sup>*3</sup>	N/A	■ <sup>*4</sup>	■ <sup>*6</sup>	N/A	N/A	■ <sup>*3</sup>

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuCentre-V C2263 DocuCentre-V C2265	■	■ <sup>*18</sup>	■	■ <sup>*4</sup>	■	■ <sup>*18</sup>	N/A	■ <sup>*18</sup>
DocuCentre-V C2275 DocuCentre-V C3373 DocuCentre-V C3375 DocuCentre-V C4475 DocuCentre-V C5575 DocuCentre-V C6675 DocuCentre-V C7775	■	■ <sup>*7</sup>	N/A	■ <sup>*4</sup>	■	■ <sup>*8</sup>	N/A	■
DocuCentre-V C2276 DocuCentre-V C3374 DocuCentre-V C3376 DocuCentre-V C4476 DocuCentre-V C5576 DocuCentre-V C6676 DocuCentre-V C7776	■	■ <sup>*9</sup>	■	■	■	■ <sup>*9</sup>	N/A	■
DocuCentre-V C5580 DocuCentre-V C6680 DocuCentre-V C7780	■	■ <sup>*12</sup>	N/A	■ <sup>*4</sup>	■	■ <sup>*13</sup>	N/A	■
DocuCentre-V C5585 DocuCentre-V C6685 DocuCentre-V C7785	■	■ <sup>*14</sup>	■	■	■	■ <sup>*14</sup>	N/A	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuCentre-VI C2271 <sup>*15</sup>								
DocuCentre-VI C3370 <sup>*15</sup>								
DocuCentre-VI C3371 <sup>*15</sup>								
DocuCentre-VI C4471 <sup>*15</sup>	■	■	■	■	■	■	■	■
DocuCentre-VI C5571 <sup>*15</sup>								
DocuCentre-VI C6671 <sup>*15</sup>								
DocuCentre-VI C7771 <sup>*15</sup>								
DocuCentre-VII C2273 <sup>*15</sup>								
DocuCentre-VII C3372 <sup>*15</sup>								
DocuCentre-VII C3373 <sup>*15</sup>								
DocuCentre-VII C4473 <sup>*15</sup>	■	■	■	■	■	■	■	■
DocuCentre-VII C5573 <sup>*15</sup>								
DocuCentre-VII C6673 <sup>*15</sup>								
DocuCentre-VII C7773 <sup>*15</sup>								
DocuCentre-VII C5588 <sup>*16</sup>								
DocuCentre-VII C6688 <sup>*16</sup>	■	■	■	■	■	■	■	■
DocuCentre-VII C7788 <sup>*16</sup>								

Note: Products for sale may differ according to country or region. For more information, please contact the FUJIFILM Business Innovation office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

\*1: Models with 2 GB memory and Controller ROM require ver. 1.104.17 or higher.

- \*2: Controller ROM should be ver. 1.0.2 or higher.
- \*3: Extensible Customization Kit is required. Other options may be required for installation depending on the model.
- \*4: N-up accounting is available for Detailed Notification (Job Log Collection) but not for Simple Notification (Counter Collection).
- \*5: External Access Kit is required. Not available in the network environment where proxy authentication is performed via a proxy server.
- \*6: Multifunction Device Control Panel is displayed in full screen size only.
- \*7: Controller ROM should be ver. 1.5.4 or higher for early models and ver. 2.3.3 or higher for late (T2) models.
- \*8: Controller ROM should be ver. 1.3.28 or higher for early models and ver. 2.1.17 or higher for late (T2) models.
- \*9: Controller ROM should be ver. 1.3.4 or higher.
- \*10: Controller ROM should be ver. 1.4.3 or higher.
- \*11: Controller ROM should be ver. 1.2.7 or higher.
- \*12: Controller ROM should be ver. 1.5.4 or higher for early models and ver. 2.1.16 or higher for late (T2) models.
- \*13: Controller ROM should be ver. 1.3.27 or higher for early models and ver. 2.1.16 or higher for late models.
- \*14: Controller ROM should be ver. 1.4.4 or higher.
- \*15: Controller ROM should be ver. 1.60.1 or higher.
- \*16: Controller ROM should be ver. 1.60.0 or higher.
- \*17: Controller ROM should be ver. 1.131.2 or higher.
- \*18: Controller ROM should be ver. 1.2.10 or higher.

## Mono MFD

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
Apeos 2560 Apeos 3060 Apeos 3560	■	■	■	■	■	■	■	■
Apeos 4570 Apeos 5570	■	■	■	■	■	■	■	■
Apeos 6340	■	■	■	■	■	■	■	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort 2560 <sup>*9</sup> ApeosPort 3060 <sup>*9</sup> ApeosPort 3560 <sup>*9</sup>	■	■	■	■	■	■	■	■
ApeosPort 4570 <sup>*9</sup> ApeosPort 5570 <sup>*9</sup>	■	■	■	■	■	■	■	■
ApeosPort-IV 6080 <sup>*1</sup> ApeosPort-IV 7080 <sup>*1</sup>	■	■ <sup>*2</sup>	N/A	■ <sup>*3</sup>	■ <sup>*4</sup>	N/A	N/A	■ <sup>*2</sup>
ApeosPort-V 2060 ApeosPort-V 3060 ApeosPort-V 3065	■	■	■	■	■	N/A	N/A	■
ApeosPort-V 4020	■	■ <sup>*5</sup>	N/A	■ <sup>*3</sup>	■	■ <sup>*6</sup>	N/A	■
ApeosPort-V 4070 ApeosPort-V 5070	■	■	■	■	■	■ <sup>*7</sup>	N/A	■
ApeosPort-V 6080 ApeosPort-V 7080	■	■	■	■	■	■ <sup>*7</sup>	N/A	■
ApeosPort-VII 4021 <sup>*9</sup> ApeosPort-VII 5021 <sup>*9</sup>	■	■	■	■	■	■	■	■
DocuCentre-IV 6080 <sup>*1</sup> DocuCentre-IV 7080 <sup>*1</sup>	■	■ <sup>*2</sup>	N/A	■ <sup>*3</sup>	■ <sup>*4</sup>	N/A	N/A	■ <sup>*2</sup>
DocuCentre-V 2060 DocuCentre-V 3060 DocuCentre-V 3065	■	■ <sup>*8</sup>	■	■	■	<sup>*8</sup>	N/A	■ <sup>*8</sup>

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuCentre-V 4070 DocuCentre-V 5070	■	■	■	■	■	■ <sup>*7</sup>	N/A	■
DocuCentre-V 6080 DocuCentre-V 7080	■	■	■	■	■	■ <sup>*7</sup>	N/A	■

Note: Products for sale may differ according to country or region. For more information, please contact the FUJIFILM Business Innovation office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

\*1: Extensible Customization Kit is required. Other options may be required for installation depending on the model.

\*2: Detailed (Job Log Collection) is available only on CPS models.

\*3: N-up accounting is available for Detailed Notification (Job Log Collection) but not for Simple Notification (Counter Collection).

\*4: Multifunction Device Control Panel is displayed in full screen size only.

\*5: Controller ROM should be ver. 1.4.3 or higher.

\*6: Controller ROM should be ver. 1.2.7 or higher.

\*7: Controller ROM should be ver. 1.0.13 or higher.

\*8: Controller ROM should be ver. 1.2.10 or higher.

\*9: Controller ROM should be ver. 1.60.1 or higher.

## Mono printer

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuPrint 3205 d DocuPrint 3505 d DocuPrint 4405 d	■	■ <sup>*2</sup>	■	■	N/A	N/A	■	■
DocuPrint 5100 d <sup>*1</sup>	■	■	■	■	N/A	N/A	N/A	■

Note: Products for sale may differ according to country or region. For more information, please contact the FUJIFILM Business Innovation office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service. Service contract is required to use the EP-BB service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

\*1: Needs to be equipped with HDD Extension Kit.

\*2: Controller ROM should be ver. 1.0.17 or higher.

## Production Colour

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPro C650 ApeosPro C750 ApeosPro C810	■	■	■	■	■	■	■	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
PrimeLink C9065 Printer <sup>*1</sup> PrimeLink C9070 Printer <sup>*1</sup>	■	■	■	■	■	■	■	■

Note: Products for sale may differ according to country or region. For more information, please contact the FUJIFILM Business Innovation office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

\*1: Network connection is required for both multifunction device and print server.