

ApeosWare Image Log Management

System for managing archives of document images





Use a multifunction printer or other device to store images of documents.
Improve data security. Trace information leakage.
Streamline office operations.

Despite increased awareness of information security, data leaks still occur frequently. ApeosWare Image Log Management addresses this problem, helping secure vital company information by tracking all processes involved in document handling. Operations such as copying, printing, scanning and faxing can be logged with details about users, document types and which devices were employed.

This comprehensive system makes it easy to manage, monitor and locate archived document images — the ideal solution for reducing the danger of leaked documents that could compromise business. Moreover, ample document storage capacity allows you to create future business opportunities from past data.

ApeosWare Image Log Management

Deter information leakage • Trace leaks • Monitor image logs / notify admins

Optimized document handling

Reduce and trace data leaks with ApeosWare Image Log Management.

Deter information leakage

Any documents that have been copied, printed, scanned or sent / received by fax will be stored as images along with relevant process details and device information. This lets administrators monitor document handling activity by individual users as well as groups. And by combining the system's management tools with other authentication functions — such as device passwords and IC cards — user activity is easily tracked, greatly deterring the occurrence of information leakage.



Trace leaks

When classified documents containing personal or other confidential information are leaked, you can find the responsible party by searching job logs and document content obtained from automatic OCR* — fast, step-by-step tracking that shows you how and when a leak occurred.

*Professional Edition only. Requires ApeosWare Image Log Management Professional OCR License.




Information leak	Discover who, what, when and where
------------------	------------------------------------

Monitor image logs and notify admins*

To monitor document handling, simply pre-programmed search criteria or keywords and let ApeosWare Image Log Management automatically search for relevant documents. Reports are then generated and sent to administrators via e-mail at designated intervals determined by importance. All reports are saved for future reference and can be categorised by users or groups, assigned varying degrees of importance, and displayed by the year or month. This significantly reduces the possibility of information leakage caused by misuse of multifunction printers and other similar devices.

*Professional Edition only. Requires ApeosWare Image Log Management Professional OCR License.



Leverage archived documents to increase office efficiency.

Store and recall document archives

Locating documents created by former employees can sometimes be tricky. Let ApeosWare Image Log Management automatically maintain your massive archives and always be assured of fast access to legacy data.

Track document handling operations

If you place or accept orders via fax, ApeosWare Image Log Management can record logs of fax transactions. Easily keep track of who ordered what and when in both standard text and archived image formats.

Operating environment of ApeosWare Image Log Management

Image Log Management Server

Item	Standard Edition	Professional Edition	Professional Edition (Separate)	
		(Stand alone)	Core Server	Receiving Server
Supported Operating System*1	Windows Server 2022 Standard (64bit) Windows Server 2019 Standard (64 bit) Windows Server 2016 Standard (64 bit)			
CPU	Minimum: Intel® Xeon® E3-1220 v3 3.1 GHz or equivalent (4 cores) Recommend: Intel® Xeon® E3-1270 v3 3.5 GHz or equivalent (4 cores)			
Hard disk capacity	4 TB or more free space*2*3	4 TB or more free space*3	4 TB or more free space*3	1 TB or more free space
Memory capacity	4 GB			
Network	Protocol: TCP/IP			
Display	XGA(1024 x 768 pixels)and above			
Web Service	Internet Information Services 10.0			
Required hardware	DVD-ROM drive			
Required software	Identity Management*4 [Microsoft .NET Framework] •Microsoft .NET Framework 4.6.2later •Microsoft .NET Framework 3.5 [Microsoft SQL Server] •Microsoft SQL Server 2019 Express (64 bit)*5 •Microsoft SQL Server 2016 Express (64 bit) [Service Pack 3]*5	Identity Management*4 [Microsoft .NET Framework] •Microsoft .NET Framework 4.6 or later •Microsoft .NET Framework 3.5 [Microsoft SQL Server] •Microsoft SQL Server 2019 Standard (64 bit)*5 •Microsoft SQL Server 2016 Standard (64 bit) [Service Pack 3]*5		[Microsoft .NET Framework] Microsoft .NET Framework 3.5

Note: Support for virtual environment is based on our server-virtualised product policy.

*1:For the latest supported OS, please visit our official website. Installation cannot be performed in the OS where domain controller is running. Installation cannot be performed in the OS which supports Intel® Itanium® Processors. OS supports the Following languages: English, Simplified Chinese, Traditional Chinese, Korean and Japanese.

*2:The capacity required for 600000 jobs (assuming 2.2 MB per job) to be stored and-searched.

*3:Required hard disk capacity depends on how the device is used and how image logs are stored. Note that the expired data (excluded data) will remain on the hard disk. Delete the excluded data or copy it to other media.

*4:Can be installed with the DVD enclosed with the software package for an ApeosWare Image Log Management product.

*5:Non-Japanese operation systems use English version of Microsoft SQL Server.

Web Client

Item	Description
Supported Operating System*1	Windows 11 Pro (64 bit)*2 Windows 11 Enterprise (64 bit)*2 Windows 10 Pro (32 bit)*2 Windows 10 Pro (64 bit)*2 Windows 10 Enterprise 2016 LTSB (64 bit)*2 Windows Server 2022 Standard (64 bit) Windows Server 2019 Standard (64 bit) Windows Server 2016 Standard (64 bit)
CPU	Same as OS environment
Hard disk capacity	Same as OS environment
Memory capacity	Same as OS environment
Display	XGA(1024 x 768 pixels)and above
Web Browser	Microsoft Edge Internet Explorer 11*3*4

*1:For the latest supported OS, please visit our official website. OS supports the following languages: English, Simplified Chinese, Traditional Chinese, Korean, Thai and Japanese.

*2:The touch screen feature is not supported.

*3:Perform the following settings:

- Activate JavaScript™ and ActiveX Control.
- Disable [Internet Explorer Enhanced Security Configuration] (enabled by default).

*4:Use a web browser supported by OS.

fujifilm.com/fbca

FUJIFILM

Branch of FUJIFILM Business Innovation Asia Pacific Pte. Ltd. (Cambodia Branch)

No. 321, City Tower 5th Floor, Room 5B, Mao Tse Toung Blvd, Phsar Depo 1, Khan Toul Kork, Phnom Penh, Cambodia

Tel. +855-0-2396-4501 Fax. +855-0-2396-4505

The available model varies depending on the country/region. Please ask the sales representatives for details.

The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

Please note that product colours printed in this catalog may appear different from that of the actual product for reasons attributable to paper and printing ink.

Trademarks •FUJIFILM and FUJIFILM logo are registered trademarks or trademarks of FUJIFILM Corporation. •ApeosWare is a registered trademark or a trademark of FUJIFILM Business Innovation Corp. in Japan and/or other countries. •Microsoft, Windows, Windows Server, Internet Explorer, SQL Server and ActiveX are registered trademarks of Microsoft Corporation in the United States and/or other countries. •Intel, and Xeon are trademarks of Intel Corporation in the U.S. and/or other countries. •Other company names or product names are registered trademarks or trademarks of each company. •Contains Universal Font Scaling Technology From MTI.



For Your Safety

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.