

Material Safety Data Sheet

MSDS No.: IK063GE-04EY

Revision : 2013/10/15

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer : Fuji Xerox Co., Ltd
Address : 7-3, Akasaka 9-choume, Minato-ku, Tokyo 107-0052, Japan
Contact Point : [Department] Environment & Product Safety Customer Satisfaction Quality Assurance Group
 [Telephone Number] +81-46-237-1686
 [FAX Number] +81-46-238-5796

Product Name: 2800 Inkjet Color Continuous Feed Printing System
 1400 Inkjet Color Continuous Feed Printing System
 DYE INK (YELLOW)

2. HAZARD IDENTIFICATION

GHS Classification : Not classified as hazardous mixture of GHS classification.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture : mixture

Chemical Nature :

Chemical Name	Ingredients (% by wt.)	CAS Number
water	40-60	7732-18-5
Glycol	40-60	-
organic compounds	3-7	-
Yellow Dye	1-5	-

UN Hazard Class: None

UN Number :None

This product does not contain Lead , Mercury , Cadmium , Hexavalent Chromium , Polybrominated Biphenyls (PBBs) or Polybrominated Diphenyl Ethers (PBDEs) intentionally.

4. FIRST-AID MEASURES

Eye contact : Rinse with water. Get medical attention if irritation develops and persists.
Skin contact : Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a doctor/physician.
Ingestion : Rinse mouth. Get medical attention if any discomfort continues.
Protection of first-aid responders : Rescuers should wear proper personal protective equipment suitable for situation.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media : Dry chemical, foam, carbon dioxide, water fog.
Unsuitable Extinguishing Media : None.
Special fire fighting procedures : Keep personnel removed from and upwind of fire. Water runoff can damage the environment. Dike and collect water used to fight fire Evacuate area and fight fire from a safe distance.
Protection of fire-fighters : Wear adequate personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear adequate personal protective equipment, see Section 8 (Exposure Controls/Personal Protection)
Environmental precautions : Prevent from entering into soil, waterways and ground water.

2800 Inkjet Color Continuous Feed Printing System
 1400 Inkjet Color Continuous Feed Printing System DYE INK (YELLOW)
 Fuji Xerox Co., Ltd IK063GE-04EY

Revision : 2013/10/15

Methods and materials for containment and cleaning up : Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.

7. HANDLING AND STORAGE

Handling
 Technical measures : Avoid contact with skin, eyes and clothing. Wash hands after handling.
 Local and total ventilation : Use only with adequate ventilation.
 Precautions : See Section 8 (Exposure Controls/Personal Protection).
 Safe handling advice : See Section 10 (Stability and reactivity).
 Storage
 Conditions for safe storage : Protect from sunlight. Keep container tightly closed.
 Packaging compatibilities : Use plastic container that have enough toughness.

8. EXPOSURE CONTROLS /PERSONAL PROTECTION

Engineering measures : Evacuate and ventilate spill area.
 ACGIH TLV (2013) : 10 mg/m³ (Glycol)
 Personal protective equipment
 Respiratory protection : Wear suitable respiratory protection.
 Hand protection : Wear suitable gloves.
 Eye protection : Use eye protection. Use face shield in case of splash risk.
 Skin and body protection : Wear suitable protective clothing.
 Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
 Color : Yellow
 Odor : Slight.
 pH : 6-8.8
 Melting Point/freezing point : ≤ -20°C (≤ -4°F)
 Boiling Point/Initial boiling point and boiling range : 100°C (212°F)
 Flash point : Not flammable
 Auto-ignition temperature : Not available
 Upper/lower flammability or explosive limits : Non-explosive
 Vapour Pressure : Not available
 Vapour density : Not applicable
 Relative density : 1.1-1.2
 Solubility : Not available
 Partition coefficient:n-octanol/water : Not available
 Decomposition temperature : Not available
 Viscosity : 6~7mPa · s
 Polymerization hazardous : None
 Flammability : Not applicable

10. STABILITY AND REACTIVITY

Stability and Reactivity : Stable at normal conditions.
 Possibility of hazardous reactions : None
 Conditions to avoid : Freezing. Protect against direct sunlight.
 Incompatible materials : None
 Hazardous decomposition products : Not available

11. TOXICOLOGICAL INFORMATION

2800 Inkjet Color Continuous Feed Printing System
 1400 Inkjet Color Continuous Feed Printing System DYE INK (YELLOW)
 Fuji Xerox Co., Ltd IK063GE-04EY

Revision : 2013/10/15

Acute Toxicity	Swallowed→LD50(rat)	: >2000 mg/kg (practically non-toxic)
	Skin→LD50(-)	: Not available
	Inhaled→LC50(-)	: Not available
Skin Irritant (rabbit)		: Not an irritant
Skin Corrosive		: Not a corrosive
Eye Irritant (rabbit)		: Slightly irritant
Skin Sensitization (guinea-pig)		: Not a skin sensitizer
Mutagenicity		: Ames Assay: Negative
Carcinogenicity		: Substances in group [1;2A;2B] by IARC (International Agency for Research on Cancer):None
Reproduction and Development		: Not classified as “ Reproductive and Development chemicals ^{ref.1} ”
Specific Target Organ Toxicity Single Exposure		: Not available
Specific Target Organ Toxicity Repeated		: Not available
Aspiration Hazard		: Not available
Other Information		: None

12.ECOLOGICAL INFORMATION

Acute Toxicity	Fish 96hr LC50 (<i>Oryzias latipes</i>)	: >500 mg/L (practically non-toxic)
	Daphnia 48hr EC50 (<i>Daphnia magna</i>)	: >100 mg/L (practically non-toxic)
	Algae 72hr EC50 (<i>Selenastrum capricornutum</i>)	: >100 mg/L (practically non-toxic)
Bioaccumulative potential		: Not available
Mobility in soil		: Not available
Other adverse effects		: Not available

13.DISPOSAL CONSIDERATIONS

Dispose off in accordance with national and local regulations.

14.TRANSPORT INFORMATION

Transport in accordance with national, and local regulations.

15.REGULATORY INFORMATION

Ensure this product in compliance with national requirements and ensure conformity to local regulations.

16.OTHER INFORMATION

The above mentioned data correspond to our present state of knowledge and experience, but no warranty is made. Users should consider these data only as a supplement to other information and must make independent determination of the suitability and completeness of information from all sources to ensure proper use and disposal of the materials and safety and health of employees and customers.

References

- 1 : ◆ Council Directive 67/548/EEC on the approximation of the laws, regulations, and administrative provisions relating to the classification, packing and labelling of dangerous substances; Annex 1 (EU)